

Summary

1) History :	2
2) Purpose :	3
3) Installation :	3
4) Update a device (write a new firmware in a device) :	3

Beware to follow each step carefully; it is necessary for a successful update

1) History :

Revision	Date	Author	Remark
1	09/01/2004	JLUC	Creation
2	03/03/2005	JLUC	Update
3	03/31/2005	JLUC	Update for power supply in programming mode
4	05/20/2005	JLUC	Update for connection procedure
5	12/04/2006	JLUC	Update
6	02/01/2007	JLUC	Update
7	10/11/2007	JLUC	Change executable

2) Purpose :

This document describes how to install and use software to update and setting device using .MHX files.

3) Installation :

- Browse for directory "<your directory>\update_mhx_file\soft".
- Run **SETUP.EXE** file and follow the instructions

4) Update the device (write a new firmware in the device) : please refer to the update procedure of the concerned device

- Run the **Mhx_File.exe** file
- Select your communication port, according to your configuration. If the communication port is not open the port number is displayed in red.
- Start the device in update mode (cf device update documentation).
- Select the **.HEX** file you want to put into the device with **FILE/OPEN**.
- Click on **Launch**.
- The progress bar shows the writing operation state.

When it's done, click on OK. **Now you have to switch off the power supply.**

- If an error is detected check the cable and device, and retry.